



NATIONAL FENESTRATION RATING COUNCIL LABEL CERTIFICATE

SUPPLEMENTAL PRODUCT INFORMATION

For Informational Purposes Only

Non-Certified Product Information at Specified Product Size

Reference NFRC Labeled Certificate ID: **PJ-STL-18555** for Certified Ratings
for Code Compliance:

Individual product performance at specified size is listed in the table below and has been determined in accordance with NFRC technical procedures; however, these are not certified ratings. Certified ratings are determined at NFRC model sizes for comparative purposes and are listed on the actual Label Certificate referenced above. The specified size performance calculations below are for information purposes and use in calculations and energy simulation programs to estimate energy use, and are not intended for use in code compliance.

PRODUCT LISTING:

					NON-CERTIFIED Performance at Specified Size				
CPD ID	Qty	Total Area	Name	Energy Plus Report File*	Width	Height	U-factor	SHGC	VT
		ft ²			in.	in.	Btu/ hr·ft ² ·°F	-	-
P-STL-114759	1.00	19.38	Bellevue Plaza (Phase 2): Thermally Broken Perimeter Channel (Lami-VE13- 85/0.539 arg/Starphire (6mm 100 SGP 6mm/10mm) & VTS Spacer)	P-STL-114759.txt	47.24	59.06	0.33	0.42	0.54

* In order to download EnergyPlus report file for a product, you need to open your web browser, go to the address bar and type
"<http://cmast.nfrc.org/Product/ProductFind.aspx>"